

This data represents whether or not the MFP have printed on pages of varying sizes in the last three years. Each of the buildings will need at least one unit capable of Tabloid (11x17) pages. The school may decide to keep multiple MFPs in the HS and MS with this capability, or may provide only one unit at the HS and MS with this capability. Please recommend a solution for both scenarios. Printers indicated with the dark blue cell and asterisk below would be the printers that retained 11 x 17 printing if the District only provided one model at each building with 11 x 17 printing.

Building	Location	Device	A3	A4	A5	A6	Executive	Legal	Tabloid			
Anamosa HS	Main Office	X7400LX	No	No	Yes	No	No	Yes	Yes			
Anamosa HS	Guidance	K4250LX	No	Yes	No	No	No	No	No			
Anamosa HS	Library	K4350LX	Yes	Yes	Yes	Yes	Yes	Yes	Yes			
Anamosa HS	Library Workroom	K7600GX	No	Yes	No	No	Yes	Yes	Yes	*		
Anamosa HS	Business Ed.	SL-M4020ND	No	No	No	No	No	Yes	No			
Anamosa HS	Business Ed.	C2620DW	No	No	No	No	No	Yes	No			
Anamosa HS	Ind. Tech	X4250LX	Yes	No	No	No	No	No	No			
Building	Location	Device	A3	A4	A5	A6	Executive	Legal	Tabloid			
Anamosa MS	Main Office	X7400LX	No	No	No	No	No	Yes	Yes			
Anamosa MS	Library Rm B117	K4250LX	No	No	No	No	No	No	No			
Anamosa MS	Library Rm B117 - Staff	K7600GX	No	Yes	No	No	No	Yes	Yes	*		
Building	Location	Device	A3	A4	A5	A6	Executive	Legal	Tabloid			
Strawberry ES	Main Office	X7600GX	No	Yes	No	No	No	No	Yes	*		
Strawberry ES	Library rm 122	SL-M4020ND	No	No	No	No	No	No	No			
Strawberry ES	Computer Lab rm 120	SL-M4020ND	No	No	No	No	No	Yes	No			
Strawberry ES	Faculty Lounge A rm 110	K4250LX	No	Yes	No	No	No	Yes	No			
Strawberry ES	Faculty Lounge B rm 300	K4250LX	No	Yes	No	No	No	Yes	No			
Strawberry ES	Faculty Lounge C rm 400	K4250LX	No	Yes	No	No	No	Yes	No			
Strawberry ES	Tech Office	SL-M4020ND	No	No	No	No	No	No	No			
Building	Location	Device	A3	A4	A5	A6	Executive	Legal	Tabloid			
Admin Offices	Central Office	X7400LX	No	No	No	No	No	No	No			
Transportation	Matt's Office	C2620DW	No	No	No	No	No	No	No			