

200 S. Garnavillo St.  
Anamosa, Iowa 52205  
[www.anamosa.k12.ia.us](http://www.anamosa.k12.ia.us)



## Anamosa Community School District

Darren D. Hanna, Superintendent  
Phone (319) 462-4321  
Fax (319) 462-4322  
Email [dhanna@anamosa.k12.ia.us](mailto:dhanna@anamosa.k12.ia.us)

The Anamosa Community School District is posting this Request for Pricing (RFP) for the removal of current sidewalk, disposal of removed material and installation of new sidewalk at the Middle School site located at 410 Old Dubuque Rd. in Anamosa Iowa.

RFPs will be accepted through 1:00 p.m. on Friday, May 30, 2025. RFP proposals can be delivered to the District Office at 200 S. Garnavillo St.  
Anamosa, Iowa 52205  
(319) 462-4321

Contact: Mitch Wehling, Director of Operations

The Anamosa Community School District reserves the right to reject any and all proposals.

### Specifications

Approximately 960 linear feet.

8ft Wide x 960 linear feet = 7,680 sq. ft



- Remove existing sidewalk
- Dispose of existing sidewalk
- Regrade
- 8ft. wide
- 5 inches thick
- Rebar
- Rock
- Final grade

### *Anamosa Community Schools*

It is the policy of the Anamosa Community School District not to discriminate on the basis of race, color, national origin, sex, disability, religion, creed, age (for employment), marital status (for programs), sexual orientation, gender identity and socioeconomic status (for programs) in its educational programs and its employment practices. There is a grievance procedure for processing complaints of discrimination. If you have questions or a grievance related to this policy, please contact Superintendent Darren Hanna, 200 S. Garnavillo Street, Anamosa, IA 52205, 319-462-4321, [dhanna@anamosa.k12.ia.us](mailto:dhanna@anamosa.k12.ia.us)